

Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

**MATRIX** 

EB290

# AIR CURTAINS WITH REMOTE CONTROL

- Maintains indoor air quality and saves energy by minimizing air loss through open doorways
- Prevents dust, odours, fumes, and insects, from entering indoors through powerful air flow
- · Airflow directed by oscillating louvers
- · Mount on the interior of doors, windows, or walls
- Features a 5' long power cord with grounded NEMA 5-15 plug
- Voltage: 120 V
- Maximum
  Door Height: 10'
- Phase: 1
- Decibels: 56
- Hertz: 60



Model			Dim.			CF	PROMO	
No.	W"	X	D"	X	H"	High	Low	PRICE
EB290	36	х	8-1/2	X	8-5/8	815	670	229.00
EB291	48	X	8-1/2	X	8-5/8	990	816	273.00

### 24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord
- Open motor
- Non-Oscillating



	M	V.	TD.	IV
•	INDU	STRIA	L PROD	DUCTS

Model		CFM		PROMO
No.	High	Med	Low	PRICE
EA476	10760	7770	7040	393.00

#### HIGH VELOCITY FLOOR FAN

- Powerful fan output with 3 speed settings
- Vertical tilt feature and a rotating grill
- Aluminum base
- Diameter: 18"
- No. of Speeds: 3
- Power: 0.087HP (65W)
- Max. Speed Rating: 1300 RPM
- Voltage: 120 V
- Power Cord Length: 6'



Model No. EB289





## FOLDABLE PEDESTAL FAN

- Fan can be used as a pedestal fan or a floor fan
- Fully assembled fan
- All-metal construction painted black & chrome with aluminum blades
- Equipped with two casters for easy maneuverability
- HP: 1/4
- Open motor, 120 V/60 Hz
- Drive System: Direct Drive
- Non-oscillating
- No. of Speeds: 3
- Power Cord: 9.8'





Model			CFM		PROMO
No.	Dia."	High	Med	Low	PRICE
EB116	24	7000	4500	3500	460.00



Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### FLAME-RESISTANT HIGH VISIBILITY SURVEYOR VESTS

- Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance
- 4" reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- · Safety D-ring access slot
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Standard(s) Met: CSA Z96 Class 2, Level 2

ZEN/TH°







**SGF136** 

Model		Model	
No.	Size	No.	Size
HIGH VISIE	BILITY ORANGE	HIGH VISIE	BILITY LIME-YELLOW
SGF136	Medium	SGF140	Medium
SGF137	Large	SGF141	Large
SGF138	X-Large	SGF142	X-Large
SGF139	2X-Large	SGF143	2X-Large

#### **CSA COMPLIANT TRAFFIC SAFETY VESTS**

SGI277

- · Lightweight and comfortable fluorescent sport mesh knit fabric
- 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back
- 4" reflective stripes offer maximum nighttime visibility
- Front hook and loop closure permits optimal fitting
- Standard(s) Met: CSA Z96 Class 2 - Level 2







Model		Model	
No.	Size	No.	Size
HIGH VISI	BILITY ORANGE	HIGH VISI	BILITY LIME-YELLOW
SGI273	Medium	SGI277	Medium
SGI274	Large	SGI278	Large
SGI275	X-Large	SGI279	X-Large
SGI276	2X-Large	SGI280	2X-Large

#### CSA-COMPLIANT HIGH-VISIBILITY **SURVEYOR VESTS** ZEN/TH°

- Lightweight and comfortable fluorescent solid polyester provides daytime visibility
- · 4" yellow/silver reflective stripes offer maximum nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- · Safety D-ring access slot
- Colour: High Visibility Orange • Standard(s) Met: CSA Z96 Class 2 - Level 2





#### **CSA COMPLIANT HIGH** VISIBILITY SURVEYOR VESTS

Lightweight and comfortable fluorescent sports mesh knit fabric provides daytime visibility

· 4" reflective stripes offer maximum nighttime visibility

• 5-point tear-away feature on shoulders, sides and front for easy quick release

Safety D-ring access slot

• Includes: Clear plastic pocket for ID badges


• Standard(s) Met: CSA Z96 Class 2, Level 2





ZEN/TH

Model		PROMO	Model		PROMO
No.	Size	PRICE	No.	Size	PRICE
HIGH VIS	BILITY OR	ANGE	HIGH VIS	IBILITY LIM	E-YELLOW
SEF101	Medium	11.95	SEK232	Medium	11.95
SEF102	Large	11.95	SEK233	Large	11.95
SEF103	X-Large	11.95	SEK234	X-Large	11.95
SEF104	2X-Large	11.95	SEK235	2X-Large	11.95



#### **5-POINT TEAR-AWAY** TRAFFIC SAFETY VESTS

- Fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- Standard(s) Met: CSA Z96 Class 2 Level 2

	No.	Size	PRICE
	SEF097	Medium	14.95
•	SEF098	Large	14.95
EN TH	SEF099	X-Large	14.99
Safety Products	SEF100	2X-Large	14.99
	-		





Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### **HEAVY-DUTY FIXED BELT** DRIVE DRUM FAN

- · Fully enclosed motor
- · All-metal construction
- 9' power cord
- Features 8" casters with easy moving handle
- No. of speeds: 2
- Motor: 120V/60 Hz
- Power: 900 W
- Amps: 7.5 A



MATRIX"

**EA286** 

Model	odel CFM		M		
No.	Dia."	HP	High	Low	
EA662	42	3/4	17900	7400	

#### LIGHT INDUSTRIAL **DIRECT-DRIVE** DRUM FANS


- 120 V/60 Hz
- · All-metal construction. painted black
- · 6' SJT type power cord
- 2-speed motor
- 6" casters with easy moving handle



EA290



## **HIGH VELOCITY FLOOR FANS**



 3-prong plug with ground industrial wire EA528

• Rotates up for vertical airflow



		18		
		CFM		PROMO
Dia."	High	Med	Low	PRICE
ISH				
16	2370	1950	1560	77.25
INISH				
18	4725	3850	2975	107.00
	ISH 16 INISH	16 2370 INISH	Dia."   High   Med	Dia."   High   Med   Low

#### HIGH VELOCITY FLOOR FAN

- · All-metal construction
- · Vertical pivot fan head
- · Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3
- HP: 0.2
- CFM High: 4900
- CFM Med: 4400
- CFM Low: 4150



Model No. EA661



#### RECHARGEABLE INDOOR/OUTDOOR FAN

· Includes a lithium-ion battery and charger cable Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%

 USB charging port on the control box can be used to recharge digital devices

- Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
  - Type: Floor Voltage: 24 V • Power: 25 W • RPM: 1700
  - Re-Charge time: 4-5 Hrs
    - USB: 5 V, 1 A



Model		CFM	
No.	Dia"	High	
EA828	12	1600	

#### **TURBO FAN**

- · 3-speed
- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- · Fully assembled and ready to use
- Type: Floor
- Power: 130 W





Model			CFM		
No.	Dia."	High	Med	Low	
EB117	20	2600	2100	1800	



Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### **ELECTRONIC WINDOW** HORIZONTAL AIR CONDITIONERS

- Fits a 14" x 23-36" window opening
- 3 fan speeds
- Washable filter
- · Remote control included
- Includes: Window filler panel, mounting hardware
- Amps: 15 A
- · Voltage: 115 V

Model

• Energy Star Certification: EER 12.0

Coverage



PROMO

BTU

No.	sq.ft.	Rating	PRICE
18-1/2" W	X 15-11/16" D X 13-	3/8" H	10
EB119	300 - 350	8000	480.00
19" W X 14	-19/32" D X 21-13/3	32" H	
EB236	450 - 550	12000	527.00



SGO334


Red

SGW783

#### INSTANT COLD COMPRESSES

- For relief of pain and swelling caused by sprains, strains, contusions, and other minor injuries
- Easy to use cold therapy without the mess of ice or ice cubes
- No refrigeration needed
- · Convenient and portable
- Reusable: Single Use Medical Device Class: Class 1





#### DEHUMIDIFIER

- Water bucket full indicator
- · Omni-directional casters
- 24-hour timer
- 6 L tank capacity
- Auto restart function and auto defrosting
- · Energy-Star Certified
- Washable filter
- LED display





Model No.	Capacity Pt.	Coverage sq. ft.	
EA831	50	4000	*





#### **MOBILE 3-IN-1 AIR CONDITIONERS**

- 3-in-1 system (A/C, fan, and dehumidifier) • Features Control panel with LED display on unit with remote control
  - Equipped with casters
  - 24 hour timer
  - Window kit included
    - Colour: White
    - Voltage: 115 V • Frequency: 60 Hz
  - EB118

Model No.	Coverage sq.ft.	BTU Rating	Cooling Speeds	PROMO PRICE
11-13/16	" W X 12-5/8" I	D X 27-3/16"	Н	
EB118	300 - 350	8000	2	553.00
17-1/3" V	V X 12-4/5" D	X 27-1/3" H		
EA830	450 - 550	12000	3	700.00

#### **MEGAPHONE**

- Up to one mile carry sound range
- · Features pistol grip and trigger for 1-hand operation
- Requires 8 "C" batteries
- Includes piercing siren sound for emergency situations
- · Power Output: 25 W Peak
- Dim.: 15" L x 9" H (cone diameter)









Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### OSCILLATING PEDESTAL FAN

- · All-metal construction
- 6.5' SJT power cord
- · Features adjustable height and a heavy-duty round base for added stability
- · Open motor & direct drive
- Horse Power: 1/16 HP
- Motor: 120 V/60 Hz
- · No. of Speeds: 3





MATRIX'

Model		CFM		
No.	Dia."	High	Med	Low
EB239	22	4500	3700	2900





#### **HIGH VELOCITY** OSCILLATING WALL FAN


- Adjustable tilting fan head
- · Sliding switch at front of base
- Can be used in oscillating or non-oscillating mode
  - Diameter: 20"
  - No. of Speeds: 3
  - Voltage: 120 V
    - HP: 1/5

Model		CFM		
No.	High	Med	Low	
EA660	4800	4500	4000	

#### **OUTDOOR OSCILLATING** PEDESTAL FAN

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- · 9.5' power cord with UL GFCI plug
- · All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27'
- Voltage: 120 V
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3





#### OUTDOOR MISTING & OSCILLATING PEDESTAL FAN

- Features a misting hub, adjustable height and heavy-duty round base for added stability
- 9' power cord with UL GFCI plug
- Enclosed/Waterproof motor type (IP44)
- All-metal construction, chrome grill stand and base painted black

High

7200

5470

- · Misting kit included with direct hose connection
- · Can be used indoor/outdoor
- Diameter: 30'
- · No. of Speeds: 3
- HP: 1/7

Model

EA829

• Base Diameter: 27"

3780

	<b>5</b> 1°		•
CFM Med	Low	Watts	

#### LIGHT INDUSTRIAL **DIRECT-DRIVE SLIM DRUM FANS**



 All-metal construction, painted black & chrome with aluminum blades

220

• 6' SJT power cord

MATRIX

- 5" casters and easy-moving handle
  - Open motor type • 360° vertical tilt angle

• Motor: 120 V/60 Hz

MATRIX'

					•		
Model No.	Dia."	НР	No.of Speeds	High	CFM Med	Low	PROMO PRICE
EA778	24	3/10	3	7770	6000	4500	196.00
EB114	30	1/3	2	9500	_	6700	447.00

#### **OUTDOOR OSCILLATING WALL FAN**

- · 9' power cord with UL GFCI plug
- Enclosed/waterproof motor type
- · All-metal construction
- · Chrome grill stand and base painted black
- HP: 1/7
- Motor: 120 V/60 Hz, waterproof
- · Drive System: Direct Drive



Model No.	Dia."	High	CFM Med	Low	PROMO PRICE
EB115	30	7200	5500	3800	573.00



**593 Norris Court** Kingston, On


**K7P 2R9** 

Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

# ZEN/TH°

#### RZ100 RAIN SUITS

• 0.35 mm thick PVC/polyester/PVC material



- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
  - Ankle and cuff take-up snaps
  - · Ultrasonically-welded seams

Model No.	Size	PROMO PRICE
IVO.	Size	PRICE
SEH078	Small	14.95
SEH079	Medium	14.95
SEH080	Large	14.95
SEH081	X-Large	14.95
SEH082	2X-Large	14.95
SEH083	3X-Large	14.95
SEH084	4X-Large	14.95

#### RZ200 LONG RAIN COATS

- 0.35 mm material thickness, yellow PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- · Cape back and underarm vents
- Cuff take-up snaps
- · Flame resistant
- Ultrasonically welded seams

Model		PROMO
No.	Size	PRICE
SEH085	Small	13.35
SEH086	Medium	13.35
SEH087	Large	13.35
SEH088	X-Large	13.35



Model		PROMO
No.	Size	PRICE
SEH089	2X-Large	13.35
<b>SEH090</b>	3X-Large	13.35
SEH091	4X-Large	13.35
86.		

#### RZ300 RAIN SUITS

- · 0.20 mm thick unsupported yellow PVC material
- Jacket features storm flap, dome snaps, two patch pockets and a detachable hood
- · Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Ultrasonically-welded seams

Model		PROMO
No.	Size	PRICE
SEH092	Small	14.35
SEH093	Medium	14.35
SEH094	Large	14.35
SEH095	X-Large	14.35
SEH096	2X-Large	14.35
SEH097	3X-Large	14.35
SEH098	4X-Large	14.35





#### RZ500 FLAME RESISTANT **RAIN SUITS**

- 0.35 mm material thickness, yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- · Cape back vent on jacket with underarm vents
- · Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps

Model		PROMO
No.	Size	PRICE
SEH099	Small	22.50
SEH100	Medium	22.50
SEH101	Large	22.50
SEH102	X-Large	22.50

	•	
Model	PROMO	
No.	Size	PRICE
SEH103	2X-Large	22.50
SEH104	3X-Large	23.25
SEH105	4X-Large	23.95

ZEN TH



#### **RZ600 FLAME RESISTANT RAIN SUITS**

- 0.35 mm material thickness, yellow PVC/ Polyester/PVC material
- Jacket comes with storm flap, dome snaps, two patch pockets and detachable hood
  - · Cape back and underarm vents
  - · Bib overall pants come with fly front and adjustable suspenders
  - Standard(s) Met: CGSB 155.20



Model		PROMO
No.	Size	PRICE
SEH106	Small	18.95
SEH107	Medium	18.95
SEH108	Large	18.95
SEH109	X-Large	18.95

Model		PROMO
No.	Size	PRICE
SEH110	2X-Large	18.95
SEH111	3X-Large	19.25
SEH112	4X-Large	19.50

#### RZ1000 HIGH-VISIBILITY **RAIN SUITS**

- 100% 300D polyester oxford material
- Features ID pocket, snaps, zipper, two patch pockets and detachable hood
- Adjustable wrist cuffs

SGP359 X-Large

- Comes with adjustable suspenders
- Adjustable ankle & waist snaps
- · Colour: High Visibility Lime-Yellow
- Reflective Stripe Colour: Silver Standard(s) Met: CSA Z96 Class 3 - Level 2

Model		PROMO
No.	Size	PRICE
SGP356	Small	62.20
SGP357	Medium	62.20
SGP358	Large	62.20

62.20







Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607


EA571\*

FA655

30" Pedestal 1/3

26" Wall Mount 1/4

30" Wall Mount 1/3









8000

7700

8000

\*Features adjustable height and a heavy-duty round base for added stability

373.00

227.00

247.00

7000

6060

7000



Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### FLAME-RESISTANT HIGH VISIBILITY SURVEYOR VESTS

- · Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance
- 4" reflective stripes offer maximum nighttime visibility
- · 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- · Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Standard(s) Met: CSA Z96 Class 2, Level 2

ZEN/TH'







Model		Model	
No.	Size	No.	Size
HIGH VISIE	BILITY ORANGE	HIGH VISIE	BILITY LIME-YELLOW
SGF136	Medium	SGF140	Medium
SGF137	Large	SGF141	Large
SGF138	X-Large	SGF142	X-Large
SGF139	2X-Large	SGF143	2X-Large

#### **CSA COMPLIANT TRAFFIC** SAFETY VESTS

- · Lightweight and comfortable, fluorescent sport mesh knit fabric
- · 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back

SG1277

- 4" reflective stripes offer maximum nighttime visibility
- · Front hook and loop closure
- permits optimal fitting
- Standard(s) Met: CSA Z96 Class 2 - Level 2



SG1273





Model No. Size HIGH VISIBILITY LIME-YELLOW Medium SGI277 SG1278 Large SG1279 X-Large SGI280 2X-Large

#### CSA-COMPLIANT HIGH-VISIBILITY SURVEYOR VESTS ZEN/TH°

- · Lightweight and comfortable fluorescent solid polyester provides daytime visibility
- · 4" yellow/silver reflective stripes offer maximum nighttime visibility
- · 5-point tear-away feature on shoulders, sides and front for easy quick release
- · Safety D-ring access slot
- · Colour: High Visibility Orange
- Standard(s) Met: CSA Z96 Class 2 Level 2

Model	
No.	Size
SGZ627	Medium
SGZ628	Large
SGZ629	X-Large
SGZ630	2X-Large



SGZ627

#### CSA COMPLIANT HIGH VISIBILITY SURVEYOR VESTS

· Lightweight and comfortable fluorescent sports mesh knit fabric provides daytime visibility

· 4" reflective stripes offer maximum nighttime visibility

· 5-point tear-away feature on shoulders, sides and front for easy quick release

• Safety D-ring access slot

- Includes: Clear plastic pocket for ID badges
- · Standard(s) Met: CSA Z96 Class 2, Level 2





ZEN TH

Model No.	Size	PROMO PRICE	Model No.	Size	PROMO PRICE
HIGH VIS	BIBILITY OR	ANGE	HIGH VIS	IBILITY LIM	E-YELLOW
SEF101	Medium	11.95	SEK232	Medium	11.95
SEF102	Large	11.95	SEK233	Large	11.95
<b>SEF103</b>	X-Large	11.95	SEK234	X-Large	11.95
<b>SEF104</b>	2X-Large	11.95	SEK235	2X-Large	11.95

#### **5-POINT TEAR-AWAY** TRAFFIC SAFETY VESTS

- Fluorescent orange sports mesh knit fabric provides daytime visibility
- · 2" yellow reflective stripes provide 360° nighttime visibility
- Standard(s) Met: CSA Z96 Class 2 Level 2





Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

### CLIP-ON & DESK FAN

- · 2-speed, low and high settings
- · Tilting head
- · Fully assembled and ready for use
- · Convertible clip and desk feature





Model Diameter" EA304



#### **OSCILLATING DESK FANS** WITH PUSH BUTTONS

- 3-speed push button control
- · Rotating or fixed air direction
- · Portable and easy to assemble
  - Topple resistant base
    - No. of Speeds: 3

			_	_
	M	A	ГD	IV
•		A	PRO	DUCTS

Model		PROMO
No.	Diameter"	PRICE
EA305	12	34.60
EA306	16	38.60

#### WALL MOUNT OSCILLATING FAN

EA305

- · Rotating or fixed air direction
- · Easy to assemble
- · Remote with timer mode included
- · 3 speed with Eco mode feature
- Diameter: 16"
- Motor: 120 V/55 Hz





Model CFM				
No.	High	Med	Low	Eco mode
EA526	1600	1400	1220	940

#### COMMERCIAL **OSCILLATING** PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- · Rotating or fixed air direction
- Easy to assemble
- No. of Speeds: 3





Model No.	Diameter"	Min. Height"	Max. Height"	PROMO PRICE
EA658	16	41	49	34.60
EA551	18	45	52	57.00



#### 20" BOX FAN

- 3-speed control
- Five slim blades
- · Fully assembled and ready to use
- Designed to efficiently circulate airflow to reach desired comfort levels with a three speed-settings feature
  - Top-mounted controls



Model No. EA527

#### **OSCILLATING TOWER FAN**

- · Wide-angle oscillation
- Stable base
- · Type: Pedestal
- · No. of Speeds: 3
- · Colour: Black
- Voltage: 120 V • Power: 40 W
- Frequency: 60 Hz

· Overall Height: 32"









Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

SEL243

SEF117



## **CSA COMPLIANT T-SHIRTS**

- Fluorescent 100% polyester "bird's eye" mesh material
- 3" fluorescent dual reflective stripes
- · Upper left breast pocket with hook and loop closure
- Two radio loops
- · Standard(s) Met: CSA Z96 Class 2 - Level 2



Model No.	Size	PROMO PRICE	Model No.	Size	PROMO PRICE
ORANGE			HIGH VIS	BILITY LIM	E-YELLOW
SEL243	Medium	13.90	SEF109	Medium	13.90
SEL244	Large	13.90	SEF110	Large	13.90
SEL245	X-Large	13.90	SEF111	X-Large	13.90
SEL246	2X-Large	13.90	SEF112	2X-Large	13.90

#### TRAFFIC HARNESSES

- 1-1/2" reflective stripes
- · Elasticized material permits optimal fit
- · Four strap adjusters and front clip for maximum adjustability
- · Reflective Colour: Silver



Model No.	Size	PROMO PRICE	Model No.	Size	PROMO PRICE
	IBILITY OR	ANGE	-	IBILITY LIM	E-YELLOW
SGZ622	Medium	8.29	SEF117	Medium	8.29
SGZ623	Large	8.29	SEF118	Large	8.29
SGZ624	X-Large	8.29	SEF119	X-Large	8.29
SGZ625	2X-Large	8.29	SEF120	2X-Large	8.29
SGZ626	3X-Large	8.29	SEF121	3X-Large	8.29

#### **ARM & LEG BANDS**

• 2" lime-yellow/silver reflective bands · Hook and loop closure permits optimal fit

· Available in various lengths · Sold individually



ZEN/TH°

Model		PROMO
No.	Length"	PRICE
SEF122	10	2.35
SEF123	12	2.35
SEF124	13-1/2	2.35

Model No.	Length"	PROMO PRICE
SEF125	15	2.35
SEF126	17	2.35
SEF127	19	2.35

SGG310

#### TRAFFIC SAFETY FLAGS

Can be used as a hand flag, or to direct vehicles using a wooden dowel (sold separately)

• Mesh flag: 18" x 18", heavy-duty fluorescent with plastic trim; resists tearing, fraying or snagging

· Polyester flag: 16" x 16", includes 3 grommet holes



Model			PROMO
No.	Type	Colour	PRICE
SGG310	Mesh Flag	Orange	2.95
SGG314	Polyester Flag	Hi-Visibility Orange	3.70

SGG314

#### SAFETY BATON LIGHT

- · High visibility LED light source to safely direct traffic
- · Durable weather resistant design with carrying strap
- · Two light modes include Steady On and Flashing
- · Requires (2) D batteries
- · Light Colour: Orange
- Length: 21"







Model No. SGW959

#### **RZ PONCHO**


- · 0.10-mm thick unsupported single-ply PVC material
- · Ultrasonically-welded seams
- One size fits all
- · Colour: Yellow







Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607



#### BARRICADE TAPE ZEN/TH° · Warns against hazards by restricting entry to dangerous areas · Ideal for both indoor and temporary outdoor usage · Made of polyethylene **SEK403 SEK405** Model PROMO PRICE Colour No. Message Size STANDARD DUTY - 1.5 MIL SFJ602 Caution Black on Yellow 3" x 300' 3.65 **SEK397** Caution Black on Yellow 3" x 1000" 8.20 **SEK398** "Attention" Black on Yellow 3" x 1000' 8.20 **SEK399** Danger Black on Red 3" x 1000' 8.20 Danger **SDS739** Black on Yellow 3" x 1000' 8.20 **HEAVY DUTY - 2 MILS SEK400** Black on Yellow 3" x 1000' 11.95 **SEK401** Black on Yellow "Attention" 3" x 1000' 11.95 **SEK402** Danger Black on Red 3" x 1000' 11.95 **EXTRA HEAVY-DUTY** - 2.5 MILS Black on Yellow **SEK403** 3" x 1000" 13.45 Caution SEK404 Black on Yellow 3" x 1000' "Attention" 13.45 13.45 **SEK405** Black on Red 3" x 1000' Danger



Black on Yellow

3" x 1000'

13.45

Model No.	Colour	Length'
SGQ805*	Orange	164
SGQ807*	Pink	164
SGQ806	Red	164
SGQ808	Blue	328

SDS740

Danger



#### PARKING CURBS

- · 1-piece lightweight 100% recycled rubber
- · Resistant to corrosion, moisture, oil and weather variations
- · Black with bright yellow reflective stripes for maximum visibility

• Easily installed with 14" rebar spikes for permanent or temporary installation (sold separately)

14"

• 6" W x 4" H

SPEED BUMPS **SEH142** 

**SEH143 REBAR SPIKE** 

**SEH144** 



89.25

3.70



Model		Spikes	PROMO
No.	Length	Required	PRICE
PARKING CUR	BS		
SEH140	3'	3	37.45
SEH141	6'	4	81.75
REBAR SPIKE			
SEH144	14"	2	3.70



Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

# SEF027

#### TRAFFIC CONES

- 100% PVC construction offers excellent flexibility and durability
- · Temperature resistance in hot and cold environments
- · Fluorescent orange colour provides high visibility Available with 6" and 4" reflective collars
  - · High-density interlocking base offers maximum stability

ZEN/TH°

· SGU800: Can withstand temperatures -10°C to 60°C

Model	Base Dim.					PROMO
No.	Height"	W"	x	L"	Collar"	PRICE
SEF026*	18	10-1/4	x	10-1/4	6	13.00
SEF027**	28	13-3/4	x	13-3/4	4	22.00
SEF028*	28	13-3/4	x	13-3/4	6 & 4	24.40
SGU800**	28	14.17	x	14.17	4	17.20

- \*Meets Minister of Transport regulations for Quebec, Ontario and Alberta
- \*\* Meets Minister of Transport regulations for Ontario and Alberta

#### **COLOURED CONES**

- 1-piece lightweight PVC construction offers flexibility and durability
- · Temperature resistance in hot and cold environments
- · Ideal for parking lots, sporting events, festivals and crowd delineation
- · Choice of six colour coding options





Model			Base Dim.	PROMO	
No.	Colour	Height"	W" x L"	PRICE	
SEH135	White	18	10-1/4 x 10-1/4	11.00	
SEH136	Blue	18	10-1/4 x 10-1/4	11.00	
SEH137	Yellow	18	10-1/4 x 10-1/4	11.00	
SCG920	Orange	6	5-7/8 x 5-7/8	4.10	
SEH138	Orange	18	10-1/4 x 10-1/4	11.00	
SDP595	Orange	28	14 x 14	17.65	
SEH139	Green	18	10-1/4 x 10-1/4	11.00	
SEK283	Red	18	10-1/4 x 10-1/4	11.00	

#### TRAFFIC CONE TOPPER

- 9.8' red and white striped belt
- · Easier to use than traffic tape
- · Fits securely to top of cone to transform traffic cones into a crowd control system
- Durable construction

Model No.

SGY103






ZEN/TH\*

#### PREMIUM TRAFFIC CONES ZEN/TH°

SEB772

• 100% PVC construction offers maximum flexibility and durability



• High-density interlocking base

	Availal and 4		
Ť	high-i		
		col	

Model		Bas	e C	Dim.		PROMO
No.	Height"	W"	x	L"	Collar"	PRICE
ORANGE						
SEB768	12	8-5/8	x	8-5/8	-	7.20
SEB769	18	10-1/4	x	10-1/4	-	10.95
SEB771	28	13-3/4	x	13-3/4	-	21.10
SEB770*	18	10-1/4	x	10-1/4	6	16.20
SEB826**	28	13-3/4	X	13-3/4	4	23.35
SEB772*	28	13-3/4	x	13-3/4	6 & 4	29.05
SGD774*	36	14-3/4	X	14-3/4	6 & 4	37.70
LIME GRE	EEN					
SDS932	18	10-1/4	x	10-1/4	-	13.75
SDS933	28	13-3/4	x	13-3/4	-	25.70
SDS934*	18	10-1/4	x	10-1/4	6	19.90
SDS935*	28	13-3/4	X	13-3/4	6 & 4	32.40
BLUE						
SGD694**	28	13-3/4	x	13-3/4	4	26.35
YELLOW						
SGC936**	28	13-3/4	x	13-3/4	4	26.00

- \*Meets Minister of Transport regulations for Quebec, Ontario and Alberta
- \*\* Meets Minister of Transport regulations for Ontario and Alberta

#### RETRACTABLE CONE BARS

- · Designed for use with traffic cones and delineator posts
- · Permits to easily and quickly setup a safety barrier
- · Lightweight design permits ease of transport and setup
- · Made of high quality ABS materials for best durability
- · Fluorescent colour for enhanced daytime visibility
- · Reflective tape offers maximum nighttime visibility and safety



Model No.	Collapsed Length	Extended Length	Color	PROMO PRICE
SDP614*	4'5"	7'5"	Black/Orange	30.10
SGS309	4'3"	7'2"	Black/Yellow	9.70

\* 3M<sup>TM</sup> Reflective Tape




Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

NC325

#### INDUSTRIAL QUICK-MARK™ INVERTED MARKING PAINT

- Bold, bright and visible markings in one pass
- · Adheres to gravel, concrete, grass and soil
- will not fade in extreme sun and will penetrate
- VOC compliant
- · Container Size: 20 oz.
- · Net Fill: 17 oz.



Model	MFG			PROMO	
No.	No.	Colour	Swatch	PRICE	
WATER	R-BASED AP	WA COLOURS			
NC332	A03801004	Utility Yellow		6.66	
NC331	A03901004	Brilliant White		6.66	
WATER	R-BASED FL	UORESCENT COLO	URS		
NC334	A03610004	Safety Red		6.66	
NC335	A03612004	Pink		6.66	
NC336	A03620004	Caution Blue		6.66	
NC337	A03630004	Safety Green		6.66	
NC338	A03650004	Red/Orange		6.66	
NC333	A03700004	Orange		6.66	
SOLVE	NT-BASED	APWA COLOURS			
NC328	A03611007	Red		7.59	
NC326	A03621007	Blue		7.59	
NC329	A03631007	Green		7.59	
NC327	A03731007	Bright Orange		7.59	
NC325	A03821007	High Visibility Yellow		7.59	
NC324	A03900007	Utility White		7.59	
SOLVE	NT-BASED F	FLUORESCENT COL	OURS		
NC322	A03613007	Safety Red		7.59	
NC323	A03614007	Neon Green		7.59	
NE260	A03615007	Purple		7.59	
NE262	A03622007	Hot Pink		7.59	
NC320	AT3701007	Red/Orange		7.59	
NC321	A03702007	Orange		7.59	

#### **INDUSTRIAL CHOICE® AF1600** ATHLETIC FIELD STRIPING PAINT

- · Water-based paint produces durable, long-lasting
- lines that withstand weather and wear Sprays upside-down for easy use
- · For use on: Athletic fields, playgrounds, golf courses
- VOC Compliant
- · Container Type: Aerosol Can
- · Container Size: 20 oz.
- Net Volume: 17 oz.
- · Finish: Flat
- Shelf Life: 5 years
- Surface Coverage: Approximately 100-200 linear ft. at 3" wide (30-60 m. at 7.6 cm.)

Model No.	MFG No.	Colour	Swatch	PROMO PRICE
KP449	206043	White		16.10
<b>KP450</b>	206045	Yellow		16.50

RUST-OLEUM

Note: Colours may not be exactly as shown



#### ATHLETIC FIELD STRIPING MACHINE

- · Make crisp, accurate boundaries and game lines
- · The large wheels move easily through high grass and make striping fast and easy
- · Adjustable for 3-6"-wide lines
- · Includes convenient storage compartment – holds up to 12 extra cans
- · Collapsible handle for easy storage



Model No. KP451 MFG No. 206346



#### STANDARD DUTY **BLUE TARPAULINS**

· Reinforced polypropylene rope sewn in welded hems

· Heavy-duty rust-resistant grommets every 3'

- · Increased UV resistance for long life
- · Water-resistant coating
- 8 x 8 weave density
- 100 micrometres (4-mil) thick



Model No.	Dim.*	PROMO	Model	Dim.*			PROMO		
	W'	x	Ľ	PRICE	No.	W'	x	Ľ	PRICE
NN364	8	x	6	3.80	NI776	20	x	30	49.95
NN365	10	x	8	6.15	NN382	24	x	12	23.75
NI772	10	x	20	15.45	NN384	24	x	20	39.75
NN377	14	x	10	11.75	NI777	24	x	30	55.85
NN379	14	X	12	17.15	NI778	30	x	40	93.75
NI775	18	x	24	35.95	JC510	30	x	50	116.00
NN381	20	x	12	19.95	NN375	50	x	40	165.00
NN383	20	x	18	29.65	NN376	60	x	40	185.00

\*Finished sizes may vary due to hem allowance



Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### Z2400 SERIES SAFETY GLASSES

- · Frameless design with extended wraparound coverage
- · Scratch-resistant polycarbonate lens with UVA/UVB protection
- · Non-slip rubber head grips for increased user comfort
- · Flexible temple for added durability and flexibility to the frame
- · Distortion-free lens
- Standard(s) Met: ANSI Z87+/CSA Z94.3



Model No.	Lens Tint	Order Qty*	PROMO PRICE
SET319	Blue, Indoor/Outdoor Mirror	4	3.00
SET316	Grey/Smoke	12	2.20
SGQ770	Grey/Smoke Anti-Fog	4	3.05

\*Must be ordered in these multiples

#### **Z2900 SERIES SAFETY GLASSES**

- · Narrow fit is suited for smaller facial features
- · Frameless design with extended wraparound coverage
- · Scratch-resistant polycarbonate lens with UV protection ZEN/TH°
- · Flexible temple design for added durability
- Non-slip rubber head grips
- · Ultra soft snap-on, non-slip nosepiece provides extra comfort
- · Distortion-free





Model No.	Lens Tint	Order Qty*	PROMO PRICE
SGQ758	Grey/Smoke	4	3.45
SGQ761	Indoor/Outdoor Mirror	4	3.75
SGQ764**	Grey/Smoke	3	6.55
SGQ767**	Indoor/Outdoor Mirror	2	7.00

\*Must be ordered in these multiples \*\*With removable foam gasket and includes quick release strap

#### Z3400 SERIES SAFETY GLASSES

- · Sporty and translucent temple design
- · Streamline temple arm for best comfort
- · Dual-injected rubber at the end of the temple that will not peel off easily
- · Anatomically-shaped nose-piece that will adapt to most face contours
- Standard(s) Met: ANSI Z87+/CSA Z94.3
- · Lens Tint: Grey/Smoke
- · Lens Coating: Anti-Scratch/Polarized

Model No. SGW885





#### Z2500 SERIES SAFETY GLASSES



- Sporty design with extended wraparound coverage
- Scratch resistant polycarbonate lens with UV protection · Non-slip, extremely flexible temples
  - provide superior comfort and fit • Distortion-free





Model	Lens	Order	PROMO
No.	Tint	Qty*	PRICE
SDN702	Grey/Smoke	12	2.55
SDN705	Indoor/Outdoor Mirror	12	2.75
SDN708**	Grey/Smoke	3	4.00
SDN709**	Indoor/Outdoor Mirror	3	4.25

\*Must be ordered in these multiples

\*\*With removable foam gasket

#### Z3300 SERIES SAFETY GLASSES

- · Flexible front frame that helps alleviate pressure on the head
- · Sporty and sleek frame design
- · Co-injected temple pad will not peel off easily
- · Polarized lenses for outdoor activities to reduce glare and to see sharper and clearer
- Standard(s) Met: ANSI Z87+/CSA Z94.3
- · Lens Tint: Grey/Smoke
- · Lens Coating: Anti-Scratch/Polarized



Model No. **SGW884** 

#### **Z3500 SERIES SAFETY GLASSES**

- · Sporty design
- · Flexible and lightweight for all-day comfort
- · Nosepiece features integrated ridges to divert sweat
- · Features neck cord to reduce risk of damage when not being worn
- Standard(s) Met: CSA Z94.3/ANSI Z87+
- · Lens Tint: Grey/Smoke Mirror
- · Lens Coating: Anti-Scratch
- Frame Colour: Black





Model No. SGY576



Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### SPLIT COWHIDE **FITTERS GLOVES**

- Premium quality
- · Top split leather cowhide construction
- Good abrasion resistance
- · Absorbent cotton-lined palm
- · Full leather-tipped fingers and knuckle strap
- Gunn cut pattern with wing thumb style



Model No.	Description	Size	PROMO PRICE
SAS503	Rubberized Cuff	Ladies	3.05/Pair
SG281	Rubberized Cuff	Medium	2.90/Pair
SD602	Rubberized Cuff	Large	3.15/Pair
SD603	Rubberized Cuff	X-Large	3.40/Pair
SAP229	Rubberized Cuff	2X-Large	3.55/Pair
SAP298	Rubberized 4" Gauntlet Cuff	Large	3.65/Pair
SAP227*	Rubberized Cuff	Large	3.60/Pair
SAP226	Launderable PE Cuff	Large	3.30/Pair
SE1496	Rubberized Cuff, Kevlar, Blue	Large	4.40/Pair

\*Solid colour

#### POLYURETHANE COATED GLOVES

- · 18G HPPE liner provides the highest level of dexterity and comfort
- HPPE (high performance polyethylene) liner is an extremely strong fibre
- · Breathable polyurethane palm coating
- · Excellent cut, abrasion and tear resistance
- · Cut Resistance: ASTM ANSI Level A2, EN 388 Level B
- · Coating Style: Dipped Palm
- EN 388 Performance Levels: 3X41B

Model		PROMO
No.	Size	PRICE
SGW790	Small	5.49/Pair
SGW791	Medium	5.49/Pair
SGW792	Large	5.49/Pair
SGW793	X-Large	5.49/Pair



#### FOAM NITRILE COATED GLOVES

- · Thin, blue nitrile coating
- · Foam nitrile coated palm ensures superior grip
- · Elastic-knit wrist keeps glove from falling off improves
- Liquid-resistant and launderable
- · Coating Style: Full Dip · Unlined

Model No.	Size	PROMO PRICE
SGX782	Small	4.25/Pair
SGX783	Medium	4.25/Pair
SGX784	Large	4.25/Pair
SGX785	X-Large	4.25/Pair
SGX786	2X-Large	4.25/Pair



ZEN/TH

#### DMF-FREE COATED GLOVES

- · Lightweight gloves offer premium comfort and breathability
- · Nylon liner has inherent hydrophobic properties which dry the liner quickly after getting wet
- · Dimethylformamide (DMF) Free
- · Coating Style: Dipped Palm
- Unlined
- EN 388 Performance Levels: 4131
- Colour: Grey Cuff Style: Knit

Model		PROMO
No.	Size	PRICE
SGI151	Small (7)	1.55/Pair
SGI152	Medium (8)	1.55/Pair
SGI153	Large (9)	1.55/Pair
SGI154	X-Large (10)	1.55/Pair
SGI155	2X-Large (11)	1.55/Pair



ZEN/TH°

#### **GRAIN COWHIDE LINED FITTERS GLOVES**

- · Superior abrasion resistance
- · Excellent comfort and durability
- Resists oil and water well
- Rubberized cuff
- Full leather-tipped fingers and knuckle straps
- Lining: Cotton
- SM583: 4" Gauntlet

Model		PROMO
No.	Size	PRICE
STANDAR	D QUALITY	
SAS502	Ladies	3.95/Pair
SM582	Medium	3.95/Pair
SAJ023	Large	3.95/Pair
SAP232	X-Large	4.75/Pair
SM583	Large	4.50/Pair
PREMIUM	QUALITY	
SAP223*	Large	9.15/Pair

5.95/Pair Large \*Outside double palm and thumb



#### **IMPACT & CUT RESISTANT GLOVES**

- · Goatskin leather provides excellent comfort and dexterity
- · TPR backing for impact protection
- · Seamless cut resistant inner liner
- · Applications include oil & gas, construction, fabrication, and material handling
- · Cuff Style: Driver

Model

No.

- · Palm Material: Goatskin







Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### FIBREGLASS HANDLE SHOVELS

- Durable fibreglass handle with rubber grip
  - · Forward turned step for extra strength

Blade Material: Tempered Steel



Model No.	Blade Size"	Handle Type	Handle Length"	Overall Length"	PROMO PRICE
ROUND	POINT				
NJ093	11 x 8-1/2	D-Grip	32-1/2	42	21.45
TLZ465	11 x 8-1/2	Straight	36-1/2	56	22.45
SQUAR	E POINT				
NJ094 1	1-1/2 x 8-1/2	D-Grip	32-1/2	42	20.45
NJ095 1	1-1/2 x 8-1/2	Straight	48	56	21.60
DRAIN	SPADE				
NJ096	16 x 6	D-Grip	28-1/2	42-1/2	18.45

## **HEAVY-DUTY FIBREGLASS HANDLE SHOVELS**

- Heavy-duty, 12-gauge carbon steel blade
- Durable fibreglass handle with rubber grip
- · Forward turned step for extra strength
- Ergonomic grip

auroratools.

· Welded fulcrum for added leverage







al	Iro	ra	tol	ols

**TLZ471** 

Model	Blade	Handle	Handle	Overall	PROMO
No.	Size"	Type	Length"	Length"	PRICE
ROUND	POINT				
TLZ466	11 x 9	D-Grip	30	41	28.60
TLZ467	11 x 9	Straight	45-1/2	56-1/2	29.95
SQUAR	E POINT	111			
<b>TLZ468</b>	11 x 9	D-Grip	29-1/2	41	27.35
<b>TLZ469</b>	11 x 9	Straight	47-1/2	56-1/2	28.75
GARDE	N SPADE				
NJ143	12 x 7-1/2	D-Grip	30-1/2	42	22.35
DRAIN	SPADE				
TLZ470	14 x 5-1/2	D-Grip	29	45	23.45
BOW R	AKE, 15 TIN	IES			
TLZ471	15 x 6	Straight	54-3/4	64	38.70

#### WOOD HANDLE SHOVELS

- · Durable hardwood handle
- Forward turned step for extra strength

Blade Mat	erial: Tempered Stee	el INIVZ44	ININZ46	ININZ48
	aurorato	ols.	1	
D-Grip	Straight	_1_	-4-	nûn.
			$) \bigvee ($	V I

Model No.	Blade Size"	Handle Type	Handle Length"	Overall Length"	PROMO PRICE
TATE OF THE PARTY	POINT	.,,,,	cengen	Lengen	
NN243	11 x 8-1/2	D-Grip	29	40	22.60
NN244	11 x 8-1/2	Straight	48	59	23.80
SQUAR	E POINT				
NN245	11 x 8-1/2	D-Grip	29	40	23.55
NN246	11 x 8-1/2	Straight	48	59	25.60
DRAIN	SPADE				
NN247	14 x 6	D-Grip	30	44	22.35
NN248	14 x 6	Straight	46	60	24.55

auroratools.

#### **HEAVY-DUTY WOOD HANDLE SHOVELS**

- Heavy-duty, 12-gauge carbon steel blade



Model	Blade	Handle	Handle	Overall	PROMO
No.	Size"	Type	Length"	Length"	PRICE
ROUND	POINT				
NN235	11 x 9	D-Grip	30	41	30.05
NN236	11 x 9	Straight	48	59	31.75
SQUARE	POINT				
NN237	11 x 9	D-Grip	30	41	31.35
NN238	11 x 9	Straight	48	59	34.15
DRAIN S	SPADE				
NN239	16 x 6	D-Grip	29	45	24.45
NN240	16 x 6	Straight	45	61	25.95
BOW RA	KE, 15 TI	NES			
NN242	15 x 6	Straight	58	64	34.60



Allsafetyconsulting.com sales@allsafetyconsulting.com 613 893 1607

#### **BROADCAST SPREADERS**

- · Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- · Spread Width: 10'-12'
- Includes: Raincover, screen




#### auroratools"

Model No.	Load Capacity	Coverage sq. ft	PROMO PRICE
NN137	50 lbs.	11 000	213.00
NJ142	100 lbs.	22000	284.00

#### **BROADCAST SPREADERS WITH** STAINLESS STEEL HARDWARE

 Metal gear inside of the gear box · Stainless steel hardware in the hopper and pivot shaft



· Spread Width: 10'-12'

• Includes: Raincover, screen



Model No.	Load Capacity	Coverage sq.ft.	Pneumatic Tire Size"	PROMO PRICE
NN138	70 lbs.	15000	10	284.00
NN139	125 lbs.	27000	14	408.00

#### **PISTOL GRIP NOZZLES**

auroratools.

· Continuous-spray stainless steel clip

• Rear-Trigger • Threaded for accessories



Model No.	Pressure	e Water	Insulated	Body Material	PROMO PRICE
-				materiai	TRICE
VINYL A	<b>NOLDED</b>	COMFORT	GRIP		
NM814	100	Cold	No	Zinc & Vinyl	7.99
HEAVY-	DUTY CO	NSTRUCTI	ON & CO	MPONENTS	1 To 1
NM815	100	Warm & Col	d Yes	Zinc & ABS	5.99
NM816	100	Warm & Col	d Yes	Zinc & TPR	5.40
NO590	60	Warm & Col	d No	Zinc	5.65

**ERGONOMIC GRIP FOR LONGER USE** 

100 Hot & Cold Zinc & TPR

#### **ROOFER'S KIT**

TYNAMIC

8.20

- · 3-point adjustable harness with mating buckles
- · 1 back D-ring, and 2 tear away lanyard keepers
- Rope grab with 30" energy absorbing lanyard
- · 50' polyester vertical lifeline with snap hook
- · Reusable roof anchor with screws
- Storage bucket and lid
- · Harness: One Size



Model No. SGW578 MFG No. FPRK099Y50



#### **CONTRACTOR DUTY RUBBER HOSES**

- · All weather flexibility even in sub-zero conditions: -30°C (-22°F) to +82°C (180°F)
- · Kink resistant under pressure
- Excellent abrasion resistant outer cover
- 400 PSI maximum pressure



#### auroratools\*

Model	Hose	Hose	PROMO
No.	Dia."	Length'	PRICE
NO486	5/8	25	34.45
NO487	5/8	50	49.35
NO488	5/8	100	93.25

NO486

